International Journal of Food Microbiology, 12 (1991) 379–382
© 1991 Elsevier Science Publishers B.V. 0168-1605/91/$03.50

Author index

Adachi, S., see Toba, T. (12) 167
Anastasio, M.P., see Fantasia, M. (12) 353
Aureli, P., see Fantasia, M. (12) 353

Barkai-Golan, R., see Paster, N. (12) 157
Bartlett, F.M., see Laird, J.M. (12) 115
Beumer, R.R., Brinkman, E. and Rombouts, F.M.
Enzyme-linked immunoassays for the detection of *Salmonella* spp.: a comparison with other methods (12) 363
Blake, P.A., see Wachsmuth, I.K. (12) 77
Blumenthal-Yonassi, J., see Paster, N. (12) 157
Bopp, C.A., see Wachsmuth, I.K. (12) 77
Brinkman, E., see Beumer, R.R. (12) 363
Buchanan, R.L. and Klawitter, L.A.
Effect of temperature history on the growth of *Listeria monocytogenes* Scott A at refrigeration temperatures (12) 235
Bunčić, S.
The incidence of *Listeria monocytogenes* in slaughtered animals, in meat, and in meat products in Yugoslavia (12) 173
Burden, P., see Greenwood, M.H. (12) 197
Butzler, J.-P. and Oosterom, J.
Campylobacter: pathogenicity and significance in foods (12) 1

Cameron, D.N., see Wachsmuth, I.K. (12) 77
Candrian, U., Furrer, B., Höfelein, C., Meyer, R., Jermini, M. and Lüthy, J.
Detection of *Escherichia coli* and identification of enterotoxigenic strains by primer-directed enzymatic amplification of specific DNA sequences (12) 339
Corry, J.E.L., see Lewis, S.J. (12) 257
Corry, J.E.L., see Lewis, S.J. (12) 281
Cudjoe, K.S., Kapperud, G. and Olsvik, Ø.
Identification of thermotolerant *Campylobacter* species from poultry using an enzyme -labelled oligonucleotide DNA probe (12) 271
Cudjoe, K.S., Thorsen, L.I., Sørensen, T., Reseland, J., Olsvik, Ø. and Granum, P.E.
Detection of *Clostridium perfringens* type A enterotoxin in faecal and food samples using immunomagnetic separation (IMS)-ELISA (12) 313

Dahl, O.P., see Melby, K. (12) 151
D'Aoust, J.-Y.
Pathogenicity of foodborne *Salmonella* (12) 17
De Boer, E. and Nouws, J.F.M.
Slaughter pigs and pork as a source of human pathogenic *Yersinia enterocolitica* (12) 375
Doyle, M.P.
Escherichia coli O157 : H7 and its significance in foods (12) 289

Ellison, A., Perry, S.F. and Stewart, G.S.A.B.
Bioluminescence as a real-time monitor of injury and recovery in *Salmonella typhimurium* (12) 323
Engel, G. and Teuber, M.
Heat resistance of ascospores of *Byssochlamys nivea* in milk and cream (12) 225

Fantasia, M., Filetici, E., Anastasio, M.P., Marcozzi, M.D., Gramenzi, M.P. and Aureli, P.
Italian experience in *Salmonella enteritidis* 1978–1988: characterization of isolates from food and man (12) 353
Filetici, E., see Fantasia, M. (12) 353
Franco, B.D.G.M., Gomes, T.A.T., Jakabi, M. and Marques, L.R.M.
Use of probes to detect virulence factor DNA sequences in *Escherichia coli* strains isolated from foods (12) 333
Furrer, B., see Candrian, U. (12) 339

Georgsson, F., see Hartemink, R. (12) 189
Gomes, T.A.T., see Franco, B.D.G.M. (12) 333
Gondrosen, B., see Melby, K. (12) 151
Gramenzi, M.P., see Fantasia, M. (12) 353
Granum, P.E., see Cudjoe, K.S. (12) 313
Granum, P.E., see Kolstad, J. (12) 123

Greenwood, M.H., Roberts, D. and Burden, P.
The occurrence of *Listeria* species in milk and dairy products: a national survey in England and Wales (12) 197
Gregusson, S., see Melby, K. (12) 151

Hammes, W.P., see Wolf, G. (12) 133
Hartemink, R. and Georgsson, F.
Incidence of *Listeria* species in seafood and seafood salads (12) 189
Hayashi, R., see Shigehisa, T. (12) 207
Hill, W.E. and Keasler, S.P.
Identification of foodborne pathogens by nucleic acid hybridization (12) 67
Höfelein, C., see Candrian, U. (12) 339
Hornes, E., see Olsvik, Ø. (12) 103
Hurdman, B.F., see Wheeler, K.A. (12) 141

Ibrahim, A. and Mac Rae, I.C.
Incidence of *Aeromonas* and *Listeria* spp. in red meat and milk samples in Brisbane, Australia (12) 263

Jakabi, M., see Franco, B.D.G.M. (12) 333
Jermini, M., see Candrian, U. (12) 339

Kapperud, G.
Yersinia enterocolitica in food hygiene (12) 53
Kapperud, G., see Cudjoe, K.S. (12) 271
Keasler, S.P., see Hill, W.E. (12) 67
Kiehlbauch, J.A., see Wachsmuth, I.K. (12) 77
Klawitter, L.A., see Buchanan, R.L. (12) 235
Kolstad, J., Rørvik, L.M. and Granum, P.E.
Characterization of plasmids from *Listeria* sp. (12) 123
Kotani, T., see Toba, T. (12) 167

Laird, J.M., Bartlett, F.M. and McKellar, R.C.
Survival of *Listeria monocytogenes* in egg washwater (12) 115
Lewis, S.J. and Corry, J.E.L.
Comparison of a cold enrichment and the FDA method for isolating Listeria monocytogenes and other Listeria spp. from ready-to-eat food on retail sale in the U.K. (12) 281
Lewis, S.J. and Corry, J.E.L.
Survey of the incidence of *Listeria monocytogenes* and other *Listeria* spp. in experimentally irradiated and in matched unirradiated raw chickens (12) 257
Ljungh, Å., see Wadström, T. (12) 303
Lund, A., see Olsvik, Ø. (12) 103
Lüthy, J., see Candrian, U. (12) 339

Mac Rae, I.C., see Ibrahim, A. (12) 263
Mac Rae, I.C., see Majeed, K.N. (12) 181
Majeed, K.N. and Mac Rae, I.C.
Experimental evidence for toxin production by *Aeromonas hydrophila* and *Aeromonas sobria* in a meat extract at low temperatures (12) 181
Marcozzi, M.D., see Fantasia, M. (12) 353
Marques, L.R.M., see Franco, B.D.G.M. (12) 333
McKellar, R.C., see Laird, J.M. (12) 115
Meisel, J., see Wolf, G. (12) 133
Melby, K., Gondrosen, B., Gregusson, S., Ribe, H. and Dahl, O.P.
Waterborne campylobacteriosis in northern Norway (12) 151
Menasherov, M., see Paster, N. (12) 157
Meyer, R., see Candrian, U. (12) 339
Mitchell, G.E., see O'Connor, R.E. (12) 247

Notermans, S. and Wernars, K.
Immunological methods for detection of foodborne pathogens and their toxins (12) 91
Nout, M.J.R.
Ecology of accelerated natural lactic fermentation of sorghum-based infant food formulas (12) 217
Nouws, J.F.M., see De Boer, E. (12) 375

O'Connor, R.E. and Mitchell, G.E.
Effect of irradiation on microorganisms in strawberries (12) 247
Ohmori, T., see Shigehisa, T. (12) 207
Olsvik, Ø., Wasteson, Y., Lund, A. and Hornes, E.
Pathogenic *Escherichia coli* found in food (12) 103
Olsvik, Ø., see Cudjoe, K.S. (12) 271
Olsvik, Ø., see Cudjoe, K.S. (12) 313
Oosterom, J.
Epidemiological studies and proposed preventive measures in the fight against human salmonellosis (12) 41
Oosterom, J., see Butzler, J.-P. (12) 1

Paster, N., Blumenthal-Yonassi, J., Barkai-Golan, R. and Menasherov, M.
Production of zearalenone in vitro and in corn grains stored under modified atmospheres (12) 157
Perry, S.F., see Ellison, A. (12) 323
Pitt, J.I., see Wheeler, K.A. (12) 141

Reseland, J., see Cudjoe, K.S. (12) 313
Ribe, H., see Melby, K. (12) 151
Roberts, D., see Greenwood, M.H. (12) 197
Rombouts, F.M., see Beumer, R.R. (12) 363
Rørvik, L.M., see Kolstad, J. (12) 123

Saito, A., see Shigehisa, T. (12) 207
Shigehisa, T., Ohmori, T., Saito, A., Taji, S. and Hayashi, R.
Effects of high hydrostatic pressure on characteristics of pork slurries and inactivation of microorganisms associated with meat and meat products (12) 207
Skirrow, M.B.
Epidemiology of *Campylobacter* enteritis (12) 9
Sokari, T.
Distribution of enterotoxigenic *Staphylococcus aureus* in ready-to-eat foods in eastern Nigeria (12) 275
Sørensen, T., see Cudjoe, K.S. (12) 313
Stewart, G.S.A.B., see Ellison, A. (12) 323
Strahl, A., see Wolf, G. (12) 133
Strockbine, N.A., see Wachsmuth, I.K. (12) 77

Taji, S., see Shigehisa, T. (12) 207
Teuber, M., see Engel, G. (12) 225
Thorsen, L.I., see Cudjoe, K.S. (12) 313
Toba, T., Kotani, T. and Adachi, S.
Capsular polysaccharide of a slime-forming *Lactococcus lactis* ssp. *cremoris* LAPT 3001 isolated from Swedish fermented milk 'långfil' (12) 167

Wachsmuth, I.K., Kiehlbauch, J.A., Bopp, C.A., Cameron, D.N., Strockbine, N.A., Wells, J.G. and Blake, P.A.
The use of plasmid profiles and nucleic acid probes in epidemiologic investigations of foodborne, diarrheal diseases (12) 77
Wadström, T. and Ljungh, Å.
Aeromonas and *Plesiomonas* as food- and waterborne pathogens (12) 303
Wasteson, Y., see Olsvik, Ø. (12) 103
Wells, J.G., see Wachsmuth, I.K. (12) 77
Wernars, K., see Notermans, S. (12) 91
Wheeler, K.A., Hurdman, B.F. and Pitt, J.I.
Influence of pH on the growth of some toxigenic species of *Aspergillus, Penicillium* and *Fusarium* (12) 141
Wolf, G., Strahl, A., Meisel, J. and Hammes, W.P.
Heme-dependent catalase activity of Lactobacilli (12) 133

International Journal of Food Microbiology, 12 (1991) 383–384
© 1991 Elsevier Science Publishers B.V. 0168-1605/91/$03.50

Subject index

Acridine orange staining, (12) 207
Adhesin, (12) 303
Aeromonas, (12) 263; (12) 303
Aeromonas hydrophila, (12) 181
Aeromonas sobria, (12) 181
Antibiotic resistance, (12) 17
Aspergillus, (12) 141

Bioluminescence, (12) 323
Biotype distribution, (12) 271
Byssochlamys nivea, (12) 225

Campylobacter, (12) 9; (12) 271
Campylobacter jejuni, (12) 1; (12) 151
Capsule, (12) 167
Catalase formation, kinetics, (12) 133
Cheese, (12) 197
Chicken, (12) 257
C. jejuni, (12) 77
Clostridium perfringens type A enterotoxin, (12) 313
Cold enrichment, (12) 257; (12) 281
Competition, (12) 235
Cream, (12) 225
Cytotoxin, (12) 303

Dairy products, (12) 197
Detection, (12) 103; (12) 313
Diarrhoea, (12) 9
DNA hybridization, (12) 67
DNA hybridization assays, (12) 333
DNA probe, (12) 271
DNA/rRNA probe, (12) 77

E. coli, (12) 77
Egg, (12) 115
ELISA, (12) 363
Enterobacteriaceae counts, (12) 247
Enterocolitis, acute, (12) 1
Enterohemorrhagic *Escherichia coli*, (12) 289
Enterotoxin, (12) 181; (12) 275; (12) 303; (12) 339
Epidemiology, (12) 41
Escherichia coli, (12) 103; (12) 333; (12) 339
Escherichia coli O157:H7, (12) 289

Fish, (12) 189
Fish salad, (12) 189
Food, (12) 103; (12) 123; (12) 333
Food and human isolates, (12) 353
Foodborne infections, (12) 1; (12) 41
Foodborne pathogens, (12) 67
Food hygiene, (12) 1; (12) 41; (12) 53
Fusarium, (12) 141
Fusarium equiseti, (12) 157

Gene probes, (12) 67

Haemolysin, (12) 181
Heat inactivation, (12) 225
Heat-labile, (12) 339
Heat-stable, (12) 339
Hematin, (12) 133
High hydrostatic pressure, (12) 207
Human infection, (12) 151
Hydrogen ion concentration, (12) 141

Immunological methods, (12) 91
Immunology, (12) 17
Immunomagnetic separation (IMS)-ELISA, (12) 313
Inactivation, (12) 207
Infant food, (12) 217
Infections, foodborne, (12) 1; (12) 41
Injury, (12) 323
Irradiation, (12) 247
Isolation method, (12) 281; (12) 375

Killer activity, (12) 217

Lactic acid bacteria, (12) 133; (12) 217
Lactic fermentation, (12) 217
Lactococcus lactis ssp. *cremoris*, (12) 167
Lag phase, (12) 235
Lipoteichoic acid, deacylated, (12) 167
Listeria, (12) 123; (12) 263
Listeria innocua, (12) 257; (12) 281
Listeria monocytogenes, (12) 115; (12) 173; (12) 189; (12) 197; (12) 257; (12) 281
Listeria spp., (12) 189; (12) 197; (12) 281
Low temperatures, (12) 181

Meat, (12) 173; (12) 235; (12) 263
Meat extract, (12) 181
Meat products, (12) 173
Microbiology of strawberries, (12) 247
Milk, (12) 9; (12) 197; (12) 225; (12) 235; (12) 263
Molecular epidemiology, (12) 77

Pathogenic, (12) 103
Pathogenic bacteria, (12) 91
Pathogenicity, (12) 17
Penicillium, (12) 141
Pig, (12) 375
pH, (12) 115
Plasmid, (12) 17; (12) 123
Plasmid DNA, (12) 77
Plesiomonas, (12) 303
Polymerase chain reaction, (12) 67; (12) 339
Polysaccharide, (12) 167
Pork, (12) 375
Pork slurries, (12) 207
Poultry, (12) 9; (12) 271
Prevention, (12) 1
Preventive measures, (12) 41

Radiation resistance, (12) 257
Rapid methods, (12) 363
Ready-to-eat food, (12) 275; (12) 281
Recovery, (12) 323
Red meat, (12) 9
Retropharyngeal nodes, (12) 173
Review, (12) 53

Salmonella, (12) 17; (12) 41
Salmonella enteritidis, (12) 77; (12) 353
Salmonella spp., (12) 363
Salmonella typhimurium, (12) 323
Salmonellosis, (12) 17
Sea-food, (12) 303
Slaughter animals, (12) 41
Slime, (12) 167
Smoked fish, (12) 189
Soft cheese, (12) 339
Staphylococcus aureus, (12) 275
Strawberry, (12) 247
Succession, (12) 217
Swine, (12) 53
Swine tonsils, (12) 173

Therapy, (12) 17
Toxigenic fungi, (12) 141
Toxins, (12) 17; (12) 91

Verotoxin-producing *Escherichia coli*, (12) 289
Verotoxins, (12) 289
Virulence, (12) 17
Virulence factors, (12) 333

Washwater, (12) 115
Waterborne outbreak, (12) 151
Weaning food, (12) 217

Yeast, (12) 217
Yersinia enterocolitica, (12) 53; (12) 375

Zearalenone, (12) 157